

MOTTO

FUTURE SURFACES

A P A L L E T
W I T H T I M E L E S S
A P P E A L

A fascination for patterns, textures, designs, shades, and hues in contrast mingling into one décor motif bringing forward a feeling of flamboyance and thrill. MOTTO Surfaces brighten one's visuals by bringing forward patterns and shades from the brains of creativity and eccentric talent. Our team of designers is always coming up with a new era of motifs and ideas through their eccentric talents and individualistic imagination.



ELEVATE THE SEMBLANCE

The Motto Group is an Indian manufacturer and an exporter of ceramic and vitrified tiles all around the globe. In 2009, its manufacturing unit became functional in Morbi, Gujarat, with a production capacity of 12,000 Sq. Mtrs. per day. With the latest technologies and modern machinery in its infrastructure, the group has been able to increase its production capacity significantly since its establishment. Motto is not only stunning the world with its enamoring product range but is also letting its customers experience new trends right in their space with exceptional service. Motto aspires to lead the industry and set a benchmark with its trendy and reliable products, which have been recognized by regulatory bodies like ISO and CE.

Motto Group is a globally renowned name when it comes to the manufacturing, exporting and supplying of excellent ceramic and vitrified tiles. They are known for producing sumptuously voguish wall and floor tiles for residential, commercial as well as industrial projects.

The smart integration of the latest technologies and modern machinery with efficient know-how in its manufacturing system is what led the Motto Group to deliver the finest products, which have always proven to be innovative. The product range includes Sintered Stone, DigitalWall Tiles, GVT, PGVT, and Double Charge products.

Motto Group has always maintained peerless quality and incomparable creativity in all of its products. With high-end robust machinery and latest technologies in its manufacturing process, Motto has been successfully catering to the unique demands of the export sector. Motto has its presence in North America, South America, Europe, Africa, Asia, and Australia. The exquisite and vast range of quality products by Motto Group is not only CE marked but has also been recognized by regulatory bodies like ISO.

AN AESTHETIC CHOICE



POSSIBILITIES AS PER YOUR NEED




Perfectly
Sanitisable



Withstands
Scaling



Reduction of
Grouting




Constant Appearance
& Quality



A Perfect
Hygienic work



Extremely Resistant
to Blows



Perfectly Stand
Surface




Resistant to Sun
& Weather


Our superlative quality, focus on customer satisfaction, usage of finest raw materials, organizational knowledge, strict adherence to specifications and standards, and other astounding features and efforts have been rewarded in return with the milestones and rewards achieved. We don't just talk highly, we have been working hard and our team is formed with utmost dedication and superiority. We never stop learning and upgrading ourselves.

MOTTO

FUTURE SURFACES



MICHAEL ANGELO



Scan For Virtual



SIZE

1200x
1800MM

FINISH

SPA
SURFACE

THICKNESS

09
MM

FACES

03

TYPE

END LESS

www.mottogroup.in

SPA
SURFACE




SPA surfaces by MOTTO GROUP is a collection of aesthetic tiles. It is bridging the gap between real nature and human's imagination and designing. The collection's most important feature is its 9mm thickness which makes it stay strong for a longer period of time against extreme pressures. Its other features include - Frost resistance, High load resistance, Thermal impact and Anti-slip finish. It has profound finishing and the material is of utmost superlative quality. The collection's light pastel aesthetics style will go with any theme and hence, it is the latest versatile trend.

SPA
SURFACE

www.mottogroup.in

MOTTO
FUTURE SURFACES



STATUARIO VOLKAS



Scan For Virtual



SIZE

1200x
1800MM

FINISH

SPA
SURFACE

THICKNESS

09
MM

FACES

04

TYPE

RANDOM

www.mottogroup.in

SPA
SURFACE

MOTTO

FUTURE SURFACES



9MM
Thickness



Frost
Resistance



High Load
Resistance



Thermal
Impact



Anti-slip
Finish



SPA surfaces by MOTTO GROUP is a collection of aesthetic tiles. It is bridging the gap between real nature and human's imagination and designing. The collection's most important feature is its 9mm thickness which makes it stay strong for a longer period of time against extreme pressures. Its other features include - Frost resistance, High load resistance, Thermal impact and Anti-slip finish. It has profound finishing and the material is of utmost superlative quality. The collection's light pastel aesthetics style will go with any theme and hence, it is the latest versatile trend.

SPA
SURFACE

www.mottogroup.in



VEGA BEIGE



Scan For Virtual



SIZE

1200x
1800MM

FINISH

SPA
SURFACE

THICKNESS

09
MM

FACES

02

TYPE

END LESS

MOTTO

FUTURE SURFACES



9MM
Thickness



Frost
Resistance



High Load
Resistance



Thermal
Impact



Anti-slip
Finish



SPA surfaces by MOTTO GROUP is a collection of aesthetic tiles. It is bridging the gap between real nature and human's imagination and designing. The collection's most important feature is its 9mm thickness which makes it stay strong for a longer period of time against extreme pressures. Its other features include - Frost resistance, High load resistance, Thermal impact and Anti-slip finish. It has profound finishing and the material is of utmost superlative quality. The collection's light pastel aesthetics style will go with any theme and hence, it is the latest versatile trend.

SPA
SURFACE

www.mottogroup.in



VEGA GREY



Scan For Virtual



SIZE

1200x
1800MM

FINISH

SPA
SURFACE

THICKNESS


09
MM

FACES

02

TYPE

END LESS



SPA surfaces by MOTTO GROUP is a collection of aesthetic tiles. It is bridging the gap between real nature and human's imagination and designing. The collection's most important feature is its 9mm thickness which makes it stay strong for a longer period of time against extreme pressures. Its other features include - Frost resistance, High load resistance, Thermal impact and Anti-slip finish. It has profound finishing and the material is of utmost superlative quality. The collection's light pastel aesthetics style will go with any theme and hence, it is the latest versatile trend.

SPA
SURFACE

www.mottogroup.in



VEGA SILVER



Scan For Virtual



SIZE	FINISH	THICKNESS	FACES	TYPE
1200x1800MM	SPA SURFACE	09 MM	02	END LESS

www.mottogroup.in

SPA
SURFACE

MOTTO

FUTURE SURFACES



9MM
Thickness



Frost
Resistance



High Load
Resistance



Thermal
Impact



Anti-slip
Finish



SPA surfaces by MOTTO GROUP is a collection of aesthetic tiles. It is bridging the gap between real nature and human's imagination and designing. The collection's most important feature is its 9mm thickness which makes it stay strong for a longer period of time against extreme pressures. Its other features include - Frost resistance, High load resistance, Thermal impact and Anti-slip finish. It has profound finishing and the material is of utmost superlative quality. The collection's light pastel aesthetics style will go with any theme and hence, it is the latest versatile trend.

SPA
SURFACE

www.mottogroup.in



EARTH BEIGE



Scan For Virtual



SIZE

1200x
1800MM

FINISH

SPA
SURFACE

THICKNESS


09
MM

FACES

03

TYPE

RANDOM



SPA surfaces by MOTTO GROUP is a collection of aesthetic tiles. It is bridging the gap between real nature and human's imagination and designing. The collection's most important feature is its 9mm thickness which makes it stay strong for a longer period of time against extreme pressures. Its other features include - Frost resistance, High load resistance, Thermal impact and Anti-slip finish. It has profound finishing and the material is of utmost superlative quality. The collection's light pastel aesthetics style will go with any theme and hence, it is the latest versatile trend.

SPA
SURFACE


www.mottogroup.in

MOTTO
FUTURE SURFACES

LASVIS PIZZA



FENIX SILVER



Scan For Virtual



SIZE

1200x
1800MM

FINISH

SPA
SURFACE

THICKNESS

09
MM

FACES

02

TYPE

RANDOM

www.mottogroup.in

SPA
SURFACE

MOTTO

FUTURE SURFACES



9MM
Thickness



Frost
Resistance




High Load
Resistance



Thermal
Impact



Anti-slip
Finish



SPA surfaces by MOTTO GROUP is a collection of aesthetic tiles. It is bridging the gap between real nature and human's imagination and designing. The collection's most important feature is its 9mm thickness which makes it stay strong for a longer period of time against extreme pressures. Its other features include - Frost resistance, High load resistance, Thermal impact and Anti-slip finish. It has profound finishing and the material is of utmost superlative quality. The collection's light pastel aesthetics style will go with any theme and hence, it is the latest versatile trend.

SPA
SURFACE

www.mottogroup.in



OMEGA GREY



Scan For Virtual



SIZE

1200x
1800MM

FINISH

SPA
SURFACE

THICKNESS

09
MM

FACES

02

TYPE

RANDOM

www.mottogroup.in

SPA
SURFACE

MOTTO

FUTURE SURFACES



9MM
Thickness



Frost
Resistance



High Load
Resistance



Thermal
Impact



Anti-slip
Finish



SPA surfaces by MOTTO GROUP is a collection of aesthetic tiles. It is bridging the gap between real nature and human's imagination and designing. The collection's most important feature is its 9mm thickness which makes it stay strong for a longer period of time against extreme pressures. Its other features include - Frost resistance, High load resistance, Thermal impact and Anti-slip finish. It has profound finishing and the material is of utmost superlative quality. The collection's light pastel aesthetics style will go with any theme and hence, it is the latest versatile trend.

SPA
SURFACE

www.mottogroup.in



PERLINO CREMA



Scan For Virtual



SIZE

1200x
1800MM

FINISH

SPA
SURFACE

THICKNESS

09
MM

FACES

02

TYPE

RANDOM

MOTTO

FUTURE SURFACES



9MM
Thickness



Frost
Resistance



High Load
Resistance



Thermal
Impact



Anti-slip
Finish



SPA surfaces by MOTTO GROUP is a collection of aesthetic tiles. It is bridging the gap between real nature and human's imagination and designing. The collection's most important feature is its 9mm thickness which makes it stay strong for a longer period of time against extreme pressures. Its other features include - Frost resistance, High load resistance, Thermal impact and Anti-slip finish. It has profound finishing and the material is of utmost superlative quality. The collection's light pastel aesthetics style will go with any theme and hence, it is the latest versatile trend.

SPA
SURFACE

www.mottogroup.in



PIETRA GREY



Scan For Virtual



SIZE

1200x
1800MM

FINISH

SPA
SURFACE

THICKNESS


09
MM

FACES

03

TYPE

RANDOM



SPA surfaces by MOTTO GROUP is a collection of aesthetic tiles. It is bridging the gap between real nature and human's imagination and designing. The collection's most important feature is its 9mm thickness which makes it stay strong for a longer period of time against extreme pressures. Its other features include - Frost resistance, High load resistance, Thermal impact and Anti-slip finish. It has profound finishing and the material is of utmost superlative quality. The collection's light pastel aesthetics style will go with any theme and hence, it is the latest versatile trend.

SPA
SURFACE

www.mottogroup.in



PIETRA SILVER



Scan For Virtual



SIZE	FINISH	THICKNESS	FACES	TYPE
1200x1800MM	SPA SURFACE	09 MM	03	RANDOM

www.mottogroup.in





SPA surfaces by MOTTO GROUP is a collection of aesthetic tiles. It is bridging the gap between real nature and human's imagination and designing. The collection's most important feature is its 9mm thickness which makes it stay strong for a longer period of time against extreme pressures. Its other features include - Frost resistance, High load resistance, Thermal impact and Anti-slip finish. It has profound finishing and the material is of utmost superlative quality. The collection's light pastel aesthetics style will go with any theme and hence, it is the latest versatile trend.



ROYAL GREY



Scan For Virtual



SIZE	FINISH	THICKNESS	FACES	TYPE
1200x1800MM	SPA SURFACE	09 MM	03	RANDOM

www.mottogroup.in



SPA surfaces by MOTTO GROUP is a collection of aesthetic tiles. It is bridging the gap between real nature and human's imagination and designing. The collection's most important feature is its 9mm thickness which makes it stay strong for a longer period of time against extreme pressures. Its other features include - Frost resistance, High load resistance, Thermal impact and Anti-slip finish. It has profound finishing and the material is of utmost superlative quality. The collection's light pastel aesthetics style will go with any theme and hence, it is the latest versatile trend.

SPA
SURFACE

www.mottogroup.in



SMART CREMA



Scan For Virtual



SIZE	FINISH	THICKNESS	FACES	TYPE
1200x1800MM	SPA SURFACE	09 MM	02	RANDOM

www.mottogroup.in

SPA
SURFACE

MOTTO

FUTURE SURFACES



9MM
Thickness



Frost
Resistance



High Load
Resistance



Thermal
Impact



Anti-slip
Finish



SPA surfaces by MOTTO GROUP is a collection of aesthetic tiles. It is bridging the gap between real nature and human's imagination and designing. The collection's most important feature is its 9mm thickness which makes it stay strong for a longer period of time against extreme pressures. Its other features include - Frost resistance, High load resistance, Thermal impact and Anti-slip finish. It has profound finishing and the material is of utmost superlative quality. The collection's light pastel aesthetics style will go with any theme and hence, it is the latest versatile trend.



SPA
SURFACE

www.mottogroup.in


MANUALLY TRANSPORTING
TILES

Only for 1/4" Slabs


MOVING A TILE



RAISING A IMMODERATE TILE ONTO A BENCH




✗ INCORRECT




✓ CORRECT

HANDLING IMMODERATE TILE FOR WALL




✗ INCORRECT



✓ CORRECT



WORKING WITH THE VARIOUS VERSIONS OF
TILES

CUTTING WITH DIAMOND DISCS




Our products can be cut using diamond discs fitted onto the hand-held electrical grinding machine. The speed of Disc rotation must be high (>10000 RPM) and should have a low feed rate (< 1 m/min). It may be required to cool the disc with water. Recommended discs are the thin types generally used for cutting porcelain stoneware. The surface should be kept on a FLAT base while cutting without any gap underneath

DRILLING



You can use cutting discs fitted to battery-operated screwdrivers or angle grinders, electrical drills as an alternative.



INTERNAL CUT / L-SHAPED CUT



To get internal and L-shaped corners & to reduce the risk of breakage, round o the vertex of the internal corner using bits with a radius of at least 5mm. Then cut with diamond discs, be cautious to stop moving the cutting tool forward. To drill and cut using diamond discs, follow the instructions provided above.

- When using these tools:
- Cool the point being drilled with water
 - Don't put too much pressure and bear in mind the resistance of the type of laminated stoneware you are working on
 - If you are using tungsten bits, start drilling at a low speed
 - If you are using drills or screwdrivers, do not select hammering mode

EDGE-FINISHING




INSTRUCTIONS FOR MANUAL INSTALLATION

SINGLE LAYER METHOD



DOUBLE-LAYER METHOD



COMPRESSING THE TILE



IMPORTANT

All cutout corners must have a minimum diameter of 1/4".Never leave 90° angles.We recommend radiuses of more than 1/4" when the kitchen the design allows as it makes the countertop firmer.



✓ CORRECT



✗ INCORRECT



✗ INCORRECT



✗ INCORRECT

CLEANING & MAINTENCE

Our products are non porous (due to their high quality raw materials, stringent production parameters and state of the art technology), hence any dust or deposited waste cannot penetrate the surface.

For most cases only a damp cloth is sufficient for cleaning.

Regular cleaning highlights the aesthetic features of the surface and gives it exceptional shine.

For highly aggressive cleaning caused by some common food and substances follow the table below.

TYPE OF STAIN	CHEMICAL PRODUCT	EXAMPLE
Grease	Alkaline - Solvent	Detergent
Oil	Solvent	Ammonia, Backing Soda
Ink	Oxidant - Solvent	Alcohol, Liquid Bleach, Nail Paint Remover
Rust	Acid	Hydrochloric Acid, Vinegar, Red Harpic
Lime	Acid	Descaling Reagent, Hydro Chloric Acid
Cement	Acid	Hydro Chloric Acid
Wine	Alkaline	Ammonia, Liquid Bleach
Coffee	Alkaline - Solvent	Ammonia, Liquid Bleach
Rubber	Solvent	Alcohol, Thinner
Plaster	Acid	Hydro Chloric Acid
Candle Wax	Solvent	Alcohol, Thinner
Iodine	Oxidant	Liquid Bleach
Blood	Oxidant	Liquid Bleach
Ice Cream	Alkaline	Liquid Bleach

Note: It is recommended that any kind of stain needs to get clean immediately / as soon as possible.

TECHNICAL SPECIFICATIONS

CHARACTERISTIC	STANDARD AS PER ISO-13006/2018 En14411 gr.bla	MOTTO VALUE	TEST METHOD
Regulatory Properties			
Deviation in Length & Width	±0.5%	±0.2%	ISO 10545-2
Deviation in Thickness	±5%	±5%	ISO 10545-2
Straightness of Sides	±0.5%	±0.2%	ISO 10545-2
Rectangularity	±0.5%	±0.2%	ISO 10545-2
Surface Flatness	±0.5%	±0.3%	ISO 10545-2
Colour Difference	ΔE<1.00	ΔE<0.30	ISO 10545-16
Glossiness	As per Mfg.	As Per Mfg.	GlossMeter
Structural Properties			
Water Absorption	≤0.5 %	≤0.3 %	ISO 10545-3
Apparent Density	As Per Mfg.	>2.20 g/cc	ISO 10545-3
Massive Mechanical Properties			
Modulus of Repture	Min.35N/mm ²	Min.40N/mm ²	ISO 10545-4
Breaking Strength	Min. 1300 N	Min. 2000 N	ISO 10545-4
Impact Resistance	As per Mfg.	Min. 0.55	ISO 10545-4
Surface Mechanical Properties			
Surface Abrasion Resistance	As per Mfg.	Min. class 3	ISO 10545-7
Moh's Hardness	As per Mfg.	Min. class 4	BS EN 15771
Thermo Hygrometric Properties			
Frost Resistance	As Per Mfg.	Frost Proof	ISO 10545-12
Thermal Shock Resistance	Min. 10 Cycle	Min. 10 Cycle	ISO 10545-9
Moisture Expansion	Max. 0.6mm/m	Max. 0.02mm/m	ISO 10545-10
Thermal Expansion	Max. 9.0 x 10 ⁻⁶	Max. 6.0x10 ⁻⁶	ISO 10545-8
Chemical Properties			
Chemical Resistance	As Per Mfg.	No Damage	ISO 10545-13
Stain Resistance	Resistant	Resistant	ISO 10545-14
Safety Properties			
Slip Resistance	As per Mfg.	N. A.	DIN 51130
Fire Resistance	As per Mfg.	Fire Proof	N. A.

PACKING DETAILS

Dimension (mm)	No. of PC's/Box	Square Feet	Weight (Approx)
1200x1800mm	2 Pcs.	46.5 Sq. Feet	91 Kg.



MOTTO GROUP

8-A N.H., Sartanpar Road, At, Sartanpar,
Ta. Wakaner, Morbi - 363 621, Gujarat, INDIA.

E-mail : sales@mottogroup.in | www.mottogroup.in

Toll-free Number : 1800 123 2124