



CLASS OF COLORS



RAINBOW
COLLECTION



800x2400mm
15mm Thickness

INTRODUCING

CLASSIC CERAMICS

IMMERSE YOURSELF IN COLORS

Experience the world of
timeless colors & strength
like never before.


With a palette that mirrors the timeless style and versatile architectural design sensibilities paired with unquestionable strength, Motto invites you to experience ageless ceramics, colors, and strength with this exceptionally Rainbow Collection of fullbody tiles featuring through-body terrazzo chips.

Italian Technology

MOTTO

FUTURE SURFACES

Your home, your space, where memories are etched in every corner, we invite you to witness a transformation, a tale of timeless elegance with the Rainbow Collection from Motto. A classic-colored ceramic slab collection, like strokes of an artist's brush, breathes new life into your sacred space immersing them in timeless elegance with through body terrazzo chip design.



FULL BODY
SERIES

INTRODUCING

TIMELESS STYLE

WITNESS ELEGANCE OF CLASSIC COLORS

Witness a palette of perpetual beauty, a symphony in four timeless colors carefully curated for architectural excellence. From the regal depths of midnight black to the ethereal charm of pristine white, these architectural slabs are not just surfaces but the very canvas upon which your architectural and interior visions come alive.

The Rainbow Collection from Motto is an exceptionally crafted collection of ceramic slabs in an enormous size of 800x2400mm featuring a fullbody design with through body terrazzo colored chips unlike in the industry. The tiles of the collection are homogenous throughout in composition and in aesthetics offering a seamless aesthetic blend and strength.

The collection allows you to craft spaces that never go out of fashion, stay enduringly durable, and are simply masterpieces in their own right. The size of the slabs is multifarious and colors are classic to use across the spectrum of spaces and craft elegant countertops, reception tables, dining tabletops, floors, indoors, outdoors, and more.



800x2400mm
80x240cm

Italian Technology

RAINBOW


COLLECTION



FULLBODY
SERIES

INTRODUCING

COLOR RANGE



RICH, SUBTLE & ARCHITE- CTURAL COLORS


Welcome the embrace of rich, subtle, classic, and architectural colors into your homes and spaces, and let your home's symphony of style play on, a legacy of grace for generations to come.

Let your spaces speak the language of enduring strength, beauty, and timeless colors, where tradition and sophistication dance hand in hand, rewriting the story of your interior and decor style with the collection. Each hue of the collection is a promise, a commitment to elevate your architectural solutions to new heights of refined elegance and strength.

These colors effortlessly blend well into various architectural styles with seamless aesthetics and the classic style of terrazzo with a hint of vibrant colors sprinkled throughout the body, crafting spaces perfect inside out with the slabs. Explore a new world of architectural possibilities and brilliance with the collection.

FULL BODY
SERIES

Italian Technology



EDGE PROFILES

The durability of the collection facilitates the crafting of easy and versatile edge profiles for superior details and safety.



Squared
ridge at 45°



Rounded
ridge at 45°



Straight
squared ridge



Rounded
straight ridge



Double straight
squared ridge



Double straight
rounded ridge

Joint Possibilities



Birds beak



45° corner



Soft corner

INTRODUCING

PRODUCT SURFACE



FULL BODY
SERIES

Italian Technology

INTRODUCING

BENEFITS & THICKNESS



15mm Thickness

The surfaces of the collection boast superior strength with a 15mm thick body and physical attributes that resist almost everything.



High Resilience
The surfaces are resilient to stains, scratches, impacts, and more.



Made in India
The products of Motto are proudly Made in India and available worldwide.



Antibacterial Surface
Non-porous surfaces boost anti-microbial properties, making them hygienic.



Heat & Weather-Resistant
The robust surfaces stay unaffected by heat and harsh weather conditions.



Sustainable
The practices at Motto are designed green to promote sustainability.














Recyclable
Made thoughtfully, the surfaces are recyclable, generating less waste.

INDOOR
SPACES












OUTDOOR
SPACES

APPLICATION POSSIBILITIES

- | | | | | | |
|---|---|---|---|---|---|
|  |  |  |  |  |  |
| Living Room | Stair Case | Residential Areas | Dining Area | Study Table | Children's Room |
|  |  |  |  |  |  |
| Commercial Areas | Kitchen Counter Top | Bedroom Area | Bathroom Vanities | Flooring | TV Room |

APPLICATION POSSIBILITIES

- | | | | | | |
|---|---|---|---|---|---|
|  |  |  |  |  |  |
| Patios & Outdoor Flooring | Stair Case | Gym Areas | Swimming Pool Border | Mall & Shopping Complex | Spa Areas |
|  |  |  |  |  |  |
| Café & Restaurant | Metros & Railway Areas | Airport Areas | Flooring | Hotel Areas | Office Areas |

Rainbow Nero



Size : 800x2400mm
Finish : Glossy
Body : Full Body
Thickness: 15mm



Rainbow Rock



Size : 800x2400mm
Finish : Glossy
Body : Full Body
Thickness: 15mm



Rainbow Silver



Size : 800x2400mm
Finish : Glossy
Body : Full Body
Thickness: 15mm



Rainbow Snow



Size : 800x2400mm
Finish : Glossy
Body : Full Body
Thickness: 15mm



PRODUCT SHOWCASE

Rainbow Nero

Italian Technology

FULL BODY
SERIES



Wall
Rainbow Nero



PRODUCT SHOWCASE

Rainbow Rock

Italian Technology

FULL BODY
SERIES



RECEPTION

Reception Counter
Rainbow Rock & Silver



SPACE



PRODUCT SHOWCASE

Rainbow Silver

Italian Technology

FULL BODY
SERIES



Stairs
Rainbow Silver

Floor & Wall
Rainbow Silver



PRODUCT SHOWCASE

Rainbow Snow

Italian Technology

FULL BODY
SERIES



SPACE

Work Top
Rainbow Snow

Window Frame
Rainbow Silver




CLICK HERE
FOR
VIRTUAL
360°



MANUALLY TRANSPORTING
SLAB

Only for 1/4" Slabs

MOVING A SLAB




RAISING A IMMODERATE SLAB ONTO A BENCH



✗ INCORRECT

✓ CORRECT

HANDLING IMMODERATE SLAB FOR WALL



✗ INCORRECT

✓ CORRECT

WORKING WITH THE VARIOUS VERSIONS OF
SLAB

CUTTING WITH DIAMOND DISCS




Our products can be cut using diamond discs fitted onto the hand-held electrical grinding machine. The speed of Disc rotation must be high (>10000 RPM) and should have a low feed rate (< 1 m/min). It may be required to cool the disc with water. Recommended discs are the thin types generally used for cutting porcelain stoneware. The surface should be kept on a FLAT base while cutting without any gap underneath.

DRILLING



You can use cutting discs fitted to battery-operated screwdrivers or angle grinders, or electrical drills as an alternative.


INTERNAL CUT/L-SHAPED CUT



To get internal and L-shaped corners & to reduce the risk of breakage, cut 'o' at the vertex of the internal corners using bits with a radius of at least 5mm. Then cut with diamond discs, be cautious to stop moving the cutting tool forward. To drill and cut using diamond discs, and more follow the instructions provided below:

- When using these tools:
- Cool the point being drilled with water
 - Don't put too much pressure and bear in mind the resistance of the type of laminated stoneware you are working on
 - If you are using tungsten bits, start drilling at a low speed
 - If you are using drills or screwdrivers, do not select hammering mode

EDGE-FINISHING




INSTRUCTIONS FOR MANUAL INSTALLATION


SINGLE LAYER METHOD



DOUBLE-LAYER METHOD



COMPRESSING THE SLAB



IMPORTANT

All cutout corners must have a minimum diameter of 1/4". Never leave 90° angles. We recommend a radius of more than 1/4" when the kitchen design allows as it makes the countertop firmer.



✓ CORRECT



✗ INCORRECT



✗ INCORRECT



✗ INCORRECT

CLEANING & MAINTENANCE

Our products are non porous (due to their high quality raw materials, stringent production parameters and state of the art technology), hence any dust or deposited waste cannot penetrate the surface.

For most cases only a damp cloth is sufficient for cleaning.

Regular cleaning highlights the aesthetic features of the surface and gives it exceptional shine.

For highly aggressive cleaning caused by some common food and substances follow the table below.

TYPE OF STAIN	CHEMICAL PRODUCT	EXAMPLE
Grease	Alkaline - Solvent	Detergent
Oil	Solvent	Ammonia, Baking Soda
Ink	Oxidant - Solvent	Alcohol, Liquid Bleach, Nail Paint Remover
Rust	Acid	Hydrochloric Acid, Vinegar, Red Harpic
Lime	Acid	Descaling Agents, Hydrochloric Acid
Cement	Acid	Hydrochloric Acid
Wine	Alkaline	Ammonia, Liquid Bleach
Coffee	Alkaline - Solvent	Ammonia, Liquid Bleach
Rubber	Solvent	Alcohol, Thinner
Plaster	Acid	Hydrochloric Acid
Candle Wax	Solvent	Alcohol, Thinner
Iodine	Oxidant	Liquid Bleach
Blood	Oxidant	Liquid Bleach
Ice Cream	Alkaline	Liquid Bleach

Note: It is recommended that any kind of stain needs to be cleaned immediately, as soon as possible.

TECHNICAL SPECIFICATIONS

CHARACTERISTICS	STANDARD AS PER ISO-13006/2018 En14411 gr.bla	MOTTO VALUE	TEST METHOD
Regulatory Properties			
Deviation in Length & Width	± 0.5%	± 0.2%	ISO 10545-2
Deviation in Thickness	± 5%	± 5%	ISO 10545-2
Straightness of Sides	± 0.5%	± 0.2%	ISO 10545-2
Rectangularity	± 0.5%	± 0.2%	ISO 10545-2
Surface Flatness	± 0.5%	± 0.3%	ISO 10545-2
Colour Difference	6E<1.00	6E<0.30	ISO 10545-16
Glossiness	As per Mfg.	As Per Mfg.	Gloss Meter
Regulatory Properties			
Water Absorption	≤ 0.5 %	≤ 0.3 %	ISO 10545-3
Apparent Density	As Per Mfg.	>2.20 g/cc	ISO 10545-3
Massive Mechanical Properties			
Modulus of Rupture	Min.35N/mm'	Min.40N/mm'	ISO 10545-4
Breaking Strength	Min. 1300 N	Min. 5000 N	ISO 10545-4
Impact Resistance	As per Mfg.	Min. 0.55	ISO 10545-4
Surface Mechanical Properties			
Surface Abrasion Resistance	As per Mfg.	Min. class 3	ISO 10545-7
Mohs Hardness	As per Mfg.	Min. class 4	BS EN 15771
Massive Mechanical Properties			
Frost Resistance	As Per Mfg.	Frost Proof	ISO 10545-12
Thermal Shock Resistance	Min. 10 Cycle	Min. 10 Cycle	ISO 10545-9
Moisture Expansion	Max. 0.6mm/m	Max. 0.02mm/m	ISO 10545-10
Thermal Expansion	Max. 9.0 x 10 ⁻⁶	Max. 6.0x10 ⁻⁶	ISO 10545-8
Chemical Properties			
Chemical Resistance	As Per Mfg.	No Damage	ISO 10545-13
Stain Resistance	Resistant	Resistant	ISO 10545-14
Safety Properties			
Slip Resistance	As per Mfg.	N. A.	DIN 51130
Fire Resistance	As per Mfg.	Fire Proof	N. A.

PACKING DETAILS

Dimension (mm)	No. of Pcs/Box	Square Feet	Weight (Approx)
800x2400mm	1 Pcs.	20.67 Sq. ft	68 kg.



MOTTO STONE PVT. LTD.

8-A, National Highway, Sartanpar Road, At. Sartanpar,
Ta. Wankaner, Morbi - 363 621, Gujarat, INDIA

Mail. info@mottogroup.in, **Web.** www.mottogroup.in

Toll-free. 1800 123 2124

Call. +91 95123 80072